



Memorandum

Date: November 5, 2010

To: Southern Nevada District Board of Health

From: Glenn D. Savage, R.E.H.S., Director, Environmental Health Division
Lawrence Sands, D.O., M.P.H., Chief Health Officer

Subject: Environmental Health Division Monthly Report – October 2010

I. FOOD OPERATIONS AND SPECIAL PROGRAMS:

ACTION	Sept 2009	YTD 2009	Sept 2010	YTD 2010
Initial Inspections	302	2,640	251	2,475
Reinspections-Routine	3,255	26,949	2,411	26,810
EPI Related Inspections	5	104	3	43
Special Request Inspections-Citizen	183	2,082	233	1,735
Animal Disease Inspections	3	58	1	48
Downgrades	211	1,635	190	1,829
Closures	18	163	9	152
Cease & Desist	0	1	10	126
NCIAA Complaints	17	136	15	100

A. Enforcement Actions and Investigations

East Las Vegas Office

- October 1, Flamingo Mini Mart, 3650 E Flamingo: The facility was instructed to obtain additional permit for soda, coffee, ice and cappuccino machines located within the convenience store. Staff will follow up on November 5.
- October 8, Super 8 Motel, 5288 E Boulder Hwy: During a routine inspection five rooms were closed due to UV positive stained mattresses/box springs. Rooms remain closed.
- October 11, Motel 6, 4125 Boulder Hwy: Staff closed two rooms due to stained mattresses.
- October 12, Siegel Suites Boulder II, 3625 Boulder Hwy: Staff closed eight rooms due to stained mattresses and box springs. The rooms were re-opened on October 28.
- October 12, Extended Stay America #861, 4240 E Boulder Hwy: During a routine inspection two rooms were closed due to UV positive stained mattresses/box springs. The rooms remain closed.

- October 12, The Suites, 4625 Boulder Hwy: Staff closed three rooms due to UV positive stained mattresses/box springs. The rooms remain closed.
- October 13, Siegel Suites Boulder, 4823 S Boulder Hwy: Staff closed two rooms due to UV positive stained mattresses/box springs. The rooms re-opened on October 22.
- October 14, Las Vegas Club Hotel, 18 E Fremont: Staff closed six rooms for stained mattresses. The rooms were re-opened.
- October 21, Hitchin Post Motel, 3640 N Las Vegas Blvd: Two rooms were closed for stained mattresses. The rooms were re-opened October 28.

Henderson Office

- October 11th, Edna Hinman Elementary School, 450 Merlayne: A representative for Clark County School District Foodservice called EH staff to notify that a main water line break that left the kitchen without hot water. Foodservice personnel already initiated their contingency plan by delivering individually prepackaged foods from their commissary kitchen and implementing the pre-approved Sani-twice hand sanitizer contingency procedure. EH staff contacted CCSD Facilities and was informed the entire school was without water. CCSD Facilities had also already initiated their contingency plan, by setting up portable handwash stations, portable drinking water dispensers and a water truck to supply toilets with water for flushing and maintain the chiller system. CCSD Facilities anticipated repairs to be made the same day. During a site visit to the school on October 12, EH staff observed the school was still without water. Contingency plans were in place and being followed. Prior to EH staff leaving the site, final repairs were concluded and water service was restored.

North Las Vegas Office

- October 4, Maycliff Mobile Home Park, 3601 E Wyoming: Staff observed a sewage spill due to an uncapped pipe. The manager was directed to properly remediate area and cap pipe. The facility did not complete remediation in specified time and telephone conference with a supervisor was required to expedite the corrections.
- October 15, Brinley Middle School kitchen, 2480 Maverick: During a routine inspection staff discovered the maximum hot water temperature at the three-compartment sink to be 95° F. The school switched to pre-packaged only foods and set up the sani-twice system. A survey on October 18 found the maximum temperature at 100° F. The school is to remain on pre-packaged foods until new water heaters are installed and 120° F water is delivered to the three-compartment sink.
- October 16, Carnitas Michoacan, 4371 N Rancho: Staff closed the facility for imminent health hazard and repeat critical violations while on a "C" grade. The facility was found to be operating a food stand in the parking lot without a proper permit, hand wash, sanitizer or food protection. The facility received repeat hand sink violations, improper hot holding temperatures of potentially hazardous foods, and no health cards for any of the food handlers. The facility re-opened with an "A" grade on October 18.
- October 19, Double Diamond Lounge, 3220 N Jones: Staff surveyed the facility for completion of a compliance schedule to install a three-compartment sink behind the bar. The facility did not complete the compliance schedule. Repeat critical violations observed with the hand sink used as a dump sink, since it is the only sink behind the bar. The facility received a "B" grade and directed to install the needed sink prior to re-inspection. The re-inspection is pending.

Spring Valley Office

- October 5, Hot and Juicy Crawfish, 4810 Spring Mountain: In response to a customer complaint, an inspection was conducted resulting in 49 demerits and closure of the facility. Critical violations included: temperature abuse, cross contamination, lack of hand washing, inadequate hand washing facilities and dirty food contact surfaces. The facility re-opened on October 6 with a 3-demerit "A" grade.
- October 15, Mad Greek, 8565 W Sahara: In response to a citizens' complaint regarding an overflow of raw sewage, Environmental Health staff were able to verify the complaint resulting in the closure of the facility due to the imminent health hazard. The facility re-opened on October 19 with a 5-demerit "A" grade.
- October 25, Chinatown Express, 4255 Spring Mountain: A routine inspection conducted resulted in 51 demerits and the closure of the facility. Critical violations included: inadequate cold holding units, potentially hazardous foods not held at required temperatures, cross contamination, lack of proper hand washing facilities, lack of proper hand washing and dirty food contact surfaces. The facility re-opened on October 26 with a 7-demerit "A" grade.

Strip Office

- October 1, Marriotts Grand Chateau, 75 E Harmon: Staff Cease and Desisted an unpermitted temporary food booth.
- October 5, John C. Fremont Jr. High School: Staff closed the kitchen for operating without hot water. The kitchen was re-opened on October 11.
- October 6, Silver Spur Hotel, 1502 S Las Vegas Blvd: Staff closed a room found with dead bugs on the mattress. The room was treated by pest control and re-opened on October 25.
- October 11, staff closed the Ramada Las Vegas Continental Breakfast, 325 E. Flamingo Rd., for operating without hot water. The kitchen was re-inspected and re-opened on the same day.
- October 20, Carefree Catering: Staff closed a temporary food establishment at Hard Rock's Professional Bull Riding event, due to lack of refrigeration and improper food handling.
- October 28, Black Door Bar, 4640 S Paradise: Staff closed the facility for operating without hot water. The bar was re-opened on October 30.
- October 1 & 5, Oasis Motel, 1731 S Las Vegas Blvd: A total of 5 rooms were closed for unsanitary conditions. The rooms were re-opened on October 22.
- October 21, High Hat Motel, 1300 S Las Vegas Blvd: Two rooms were closed for unsanitary conditions. The rooms remain closed.

Special Programs

- October 18, Clearwire, 3525 E Post Road: Staff investigated a complaint that food was served in the lobby of the call center, and dust was blowing into the food. Staff met with the Clearwire facility manager who stated that food is served in an adjacent office building by "The Kitchen" which is advertised as a "Division of Soirees Catering and Events." Soirees Catering has a valid food establishment and catering permits. The manager stated that employees of Clearwire pay at the point of sale for the lunch and Clearwire has not contracted with the catering facility to provide food to their employees. Staff will follow up to notify Clearwire of the options for providing food service to their employees.
- October 21, La Princesa Water Express, 557 E Twain: Staff was contacted by METRO, Special Investigation Section, regarding an investigation at a water store that was suspected of selling illegal pharmaceuticals. Individuals from this location were arrested for distributing medications imported from Mexico. This investigation and arrest w the results

of an earlier routine inspection by SNHD staff where they found possible illegal pharmaceuticals being sold in the store. The information was referred to METRO for their investigation and action.

B. Supervisory Conferences

North Las Vegas Office:

- October 7, Patricia's Soul Food, 1100 N Martin Luther King: A supervisory conference held with the owner for failure of a routine inspection with a 40 demerit "C" grade. Issues discussed included proper food handling, pest control management, use of sanitizer, and adequate hot and cold holding equipment. Upon re-inspection, the facility received an "A" grade on October 11.
- October 18, Carnitas Michoacan, 4371 N. Rancho: A supervisory conference held with the manager after closure for failing an inspection while on a "C" grade. Issues discussed included properly stocking hand sinks, hand washing requirements, proper hot holding temperatures, and food protection from contamination. All food handlers directed to obtain a valid health card before re-inspection. Procedures to obtain a seasonal permit for an outdoor taco stand were discussed with manager since an illegal stand was also closed during the inspection. A re-inspection later that day resulted in an "A" grade.

C. Outreach/Partnerships

East Las Vegas Office:

- October 4, Staff attended the CMART meeting at Clark County Government Center (CCGC)

Strip Office:

- October 6, staff educated the owner of Williams Costume on the requirements for obtaining an Event Coordinator permit necessary in establishing a new First Friday Art Street Fair event location where food and beverage will be served.
- October 11, staff supported and accompanied Food Plan Review in the first inspection of an Annual Event Coordinator, a new permit type, at the LVCC.
- October 13, staff had a meeting with LVCC Authority and Aramark representatives to discuss their concerns with the hot water requirement at hand wash stations in sampling booths during food sampling shows and advised them on the waiver application process for consideration.
- October 20, staff provided guidance to newly hired pool management personnel at the Tropicana Hotel on pool access limitations during maintenance to include pool vacuum cleaning by researching NAC 444 and other pertinent documents.
- October 19, staff partnered with the North Las Vegas office and met with representatives of Aramark from the LVCC and Cashman Field to discuss permitted portable bar permit operations, provide the operators guidance and discuss their permit options under the new Food Regulations.
- Throughout the month of October, staff has met with Cosmopolitan representatives to discuss special food equipment and/or operational processes, HACCP Plan requirements, and support Food Plan Review in an ongoing effort to ensure a successful opening of the Cosmopolitan Resort in December.
- During the month of October staff assisted the training officers and partnered with industry to provide new regulation training to industry permit holders.

D. Multi-Agency Activities

East Las Vegas Office:

- October 14th, Paradise Mobile Home Park located at 4020 N Las Vegas Blvd: Staff participated in a CMART with SNHD, CC Fire, CC Code Enforcement, and Metro representatives.
- October 26, assisted Solid Waste Division, Metro, and Business Licensing with Spanish Interpretation for illegal recycling facilities in the City of North Las Vegas.

E. Special Events/Activities

Henderson Office:

- During the month of October, the Henderson/Laughlin EH offices conducted inspections at 36 Special Events with a total of 181 booth/venue inspections performed. Some of the larger events included: Art in the Park, Boulder City on October 2 & 3. Staff inspected 28 food and beverage permits. Age of Chivalry Renaissance Festival at Sunset Park on October 8-10. Staff inspected the 26 food and beverage booths. Nevada Wild West Music Fest at the Henderson Pavilion on October 15 - 17. Staff inspected 42 food and beverage booths. The Villaggio Del Sol Italian Festival at the "M" Resort on October 23 & 24. Staff inspected 16 food and beverage booths. Safety Weekend Event at K-mart, 725 Racetrack Way on October 23. EH staff participation was requested by the Loss Prevention Manager. The primary items issued were SNHD handbooks for "Keeping your Family Safe during a Disaster", SNHD Brochures, Halloween Food Safety fliers, Turkey Food Safety fliers, various coloring/puzzle books for kids, SNHD logo items, and itemized list of items to have for an emergency was also handed out. Pinoy Festival, Las Vegas Sports Center on October 2. Two temporary food event inspections were done. American Teen Idol, Henderson Events Center on October 23. Two temporary food booths were inspected and seven annual itinerant vendors were in attendance.

North Las Vegas Office:

- During October, NLV Office received the scheduling of 78 itinerant applications. Events included: The Haunted Harvest Festival, Kings Faire, Grapes and Hops, Shriner's Hospital Golf Benefit and Go Lo Car Show.
- Staff encountered numerous issues with the Rocky Mountain Concession at Stu Miller Pumpkin Patch, 6401 Centennial Center. On October 8, the itinerant found operating before their permit start date. On October 11, the concession found with numerous violations including no soap or sanitizer. On October 18, the concession was given four hours to repair a gray water leak, which was corrected in time.

Spring Valley Office:

- Special events and temporary events inspected by Spring Valley staff included: Fright Fest, Family Furr Fun Festival, Bites of Las Vegas, Fall Festival @ Mountain's Edge, Bishop Gorman Homecoming, Waka Kick Ball Touney, Southwest Showdown, Disney Live, Town Square Concierge Appreciation, Boys Scout Bass Pro Shop, Duck Derby, Wine Walk, Las Vegas Mayor's Cup, Trunk or Treat, Dawson Fall Fest, Red Rock Harley Special Event, and the World's Largest Margarita at Ricardo's Mexican Restaurant for a total of 73 Temporary Food Establishments and 9 Special Events.

Strip Office:

- Special events and temporary events inspected by staff included: International Vision West Expo at the Sands Expo & Convention Center, Where Magazine Reception at the Palazzo Resort Hotel

& Casino, Justin Timberlake Concert at the Planet Hollywood Hotel & Casino, Halloween on the Bridge at the New York New York Hotel & Casino, Mountain Dew Tour, BMX Championship and Professional Bull Riding events at the Hard Rock Hotel, First Friday Event on Casino Center, Bikefest 2010 at the Sahara Hotel; ABC Kids Show, US Paintball League, SIGA, and Metal Con International Show at the LVCC, Oktoberfest and Jimmy Buffett's Margaritaville Street Party Concert at O'Shea's, Gipsy's National Coming Out Day, and the Biggest Tattoo Show On Earth at Mandalay Bay for a total of 62 temporary event and sampling booths and four Event Coordinator permits. Staff also assisted the Henderson office with inspecting Nevada Wild Fest at the Henderson Pavilion on October 15, conducting an additional 14 temporary events.

F. Childhood Lead Poisoning Prevention Program

CLPPP Activities:

- October 1, staff participated in a teleconference with CDC Project Officer to provide a CLPPP/Healthy Homes program update.
- October 2, staff participated in the monthly National Centers for Healthy Housing transitional teleconference call to share information with other CLPPP programs currently in the transition to comprehensive Healthy Homes programs.
- October 8, staff participated in an administrative-level meeting to review the CDC site visit report.
- October 12, staff met with SNHD Information Technologies Department to discuss electronic data submission initiatives through the Trisano program and to structure an endpoint solution.
- October 15, staff participated in a mock Healthy Homes assessment to refine the health/housing assessment tools developed for the program.
- October 18-21, staff attended the Lead and Healthy Homes Grantees conference in Atlanta, GA.
- October 20, staff presented the CLPPP on the radio station KDWN 720 AM in Las Vegas.
- October 27, staff presented the CLPPP on "Healthier Tomorrow", a live public health radio program hosted on KCEP Power 88.1 FM.
- October 28, staff participated in a mock Healthy Homes assessment to further refine the health/housing assessment tools developed for the program.

CLPPP Sub-Committee Meetings:

- October 7, staff hosted the Childhood Lead Poisoning Prevention Program "Project Staff" meeting, which focused on proving coordination to upcoming Lead Poisoning Prevention Week activities.

G. Special Programs

Illegal Vending

Cease and Desist Orders Issued by Vendor Type				
Type of Vendor	August 2010	September 2010	October 2010	YTD 2010
Street Vendors	10	4	5	62
Sales from Residences	1	1	1	10
Internet Classified	0	0	1	5
Other	0	1	0	9
Total	11	6	7	86

- October 4, Palomino Club, 1848 N Las Vegas Blvd: Staff assisted North Las Vegas Business License in an investigation of permitting and licensing issues at the facility. The facility was Cease and Desisted from serving food such as hamburgers to patrons attending Monday Night Football events.
- October 28, Catering By Andre: Staff found the facility catering for television production crews at 801 Las Vegas Blvd with a lapsed health permit and business license. The food trailer was found to be operating with substantial health hazards, including having no running water. The trailer was closed and issued a notice of violation prior to any food served.

Child Care

- October 11, Preschool at Seven Hills, 3051 W Horizon Ridge: Staff investigated a complaint that an 18-month old child was not supervised properly and fell out of a chair three times within two weeks. The complainant also stated that the facility was not using proper equipment. Staff met with the director and inspected the classroom and a morning gathering room. The director stated that a child had fallen from a chair and provided documentation that parents and licensing had been notified. All equipment in both rooms was age appropriate. Staff referred the supervisory portion of the complaint to licensing.

Childhood Lead Poisoning

ACTIVITY	Sept 2009	Sept 2010	YTD 2009	YTD 2010
EBLL Home Investigations	0	0	4	8

- During September, no environmental investigations of homes where children with elevated blood lead levels were conducted.
- During October staff conducted three risk assessments at Clark County School District pre-school and kindergartens school built before 1978. Results of the risk assessments are pending.

Outbreak Investigation Support:

- October 4, Metro Pizza, 1420 W Horizon Ridge: Staff accompanied Henderson office staff on an EPI investigation regarding a complaint alleging one group developed diarrhea and vomiting within 10 to 15 hours of consuming a meal at this facility on October 2. All individuals reported eating sausage and green pepper pizza. One of the three individuals reported eating chicken wings which were allegedly undercooked. Factors which could contribute to food borne illness that were noted during the investigation included; make table holding food at 48-50 degrees, employee beverage in unapproved container and stored commingled with food for service, employee food item stored over food prep area, single service salt containers double stacked with a barrier protecting food, clean equipment stored in the splash zone of hand sink, ware washer observed not washing hands in between handling dirty, then clean dishes, food contact surfaces/kitchenware including the meat slicer, salad spinner, ice machine, and cutting board found dirty or improperly cleaned. It was also observed that a food handler touched ready to eat food (cooked calzone) with bare hands when boxing it up for a takeout order. The inspections of the restaurant and prep kitchen permits resulted in each permit receiving a "B" downgrade.
- October 20, 2010, Del Taco, 348 N Nellis: Staff accompanied East Las Vegas staff to a complaint alleging three people ate at the facility on October 12 and reported diarrhea and vomiting within 15 to 17 hours of consuming tacos at the facility. Factors identified during

the investigation which could result in transmission of food borne illness were; employees eating in the food preparation area and lack of paper towels at the hand-wash sink in the employee restroom. An inspection resulted in an "A" grade.

Body Art:

- September 30 to October 3, Biggest Tattoo Show on Earth, Mandalay Bay Events Center, over two days, September 30 and October 1, staff conducted inspections of the booths of 260 temporary artists participating in the show. No violations that would have an adverse impact on public health were observed at any of the booths. Staff followed up on October 2 and 3 to ensure that standards were being maintained.
- October 4, Evolution Tattoos, 5255 S Decatur: Staff investigated a complaint alleging alcohol was being served to patrons in the facility during tattoo and piercing procedures. The facility staff denied the practice even though the shop's Facebook page had the offer posted. Staff informed the facility that serving alcohol is a violation of SNHD regulations. Within 24 hours, the Facebook posting was removed.
- October 21, staff investigated four separate tattoo complaints at private residences. All participants were informed that tattooing from residential areas was not permitted and all were given Cease and Desist orders.

Safe Drinking Water:

- October 11, Las Vegas Ski and Snowboard Resort, and the Frontier Girl Scout Camp Foxtail, Lee Canyon, Mt. Charleston: Staff conducted sanitary surveys of the public water systems and found a number of common deficiencies, including wells without proper air vents, concrete pads around the well in disrepair, wells lacking smooth nosed sample taps, storage tanks with deteriorating gaskets or inadequately sized covers, and storage tank overflow discharge pipes without angled flapper valves.

Mattress Program:

- October 15, staff investigated reports that local mattress manufacturing companies had resumed using secondhand materials when constructing mattresses. Staff surveyed Silver Mattress, 6270 Kimberly Ave; Good Night Mattress, 4955 Steptoe; Spring Coral, 2721 N Lossee Rd; and Mattress Paloma, 2257 Gowan. Spring Coral was found to be no longer in business. The remaining facilities had evidence of secondhand mattress materials being used during mattress manufacture. Cease and Desist orders were issued at each facility in violation.
- October 19, staff investigated reports that local mattress manufacturing facilities had resumed using secondhand materials when constructing new mattresses. Staff investigated Mattress for Less at 2912 S Highland and an individual operator at 725 Biltmore. Mattress for Less was no longer in business and there was no evidence at the other address of any mattress operations.

Vector Control and Surveillance

West Nile Virus (WNV):

- Staff set 38 Encephalitis Vector Surveillance (EVS) traps and submitted 380 mosquitoes to the Department of Agriculture for arboviral analysis. Mosquito surveillance has ceased for 2010. Vector Control set 708 EVS traps and submitted 21,691 mosquitoes for arboviral testing; all results negative.

Mosquito Control:

- October 27, staff attended a Nevada WNV Working Group meeting in Reno to address the application and implementation of the National pollutant Discharge Elimination System (NPDES) which will affect the SNHD Vector Control office in 2011.
- Staff winterized fish tanks, chemical broadcasting equipment, and mosquito traps in preparation for 2011.
- Vector Control continues to recover mosquito treatment fees issued prior to ceasing stagnant pool complaints on July 1, 2010. Since the transition Vector Control has recovered \$6,266, bringing the total recovered fees to \$54,747 (15% of the \$353,340 issued).
- Staff continued to chemically treat mosquito breeding areas as necessary.

Rural Rodent Disease Surveillance:

- Staff initiated rural rodent disease surveillance in Corn Creek National Wildlife Refuge, collecting blood and flea samples from 42 rodents. Surveillance will continue into November at areas including Mt. Charleston, Red Rock and Valley of Fire. Plague and Hantavirus results are pending.

II. SOLID WASTE AND COMPLIANCE PROGRAMS

Action	October 2009	October 2010	YTD 2009	YTD 2010
Number of Cases Adjudicated by Hearing Officer	32	29	213	253
Penalties Imposed by Hearing Officer	\$49,900	\$29,100	\$423,500	\$504,950
Number of Complaints Received	157	101	1,540	1,939
Waste Management Audits	110	205	2,795	3,059
Target Sector Inspections	80*	80*	227*	240*
Underground Storage Tanks (UST) Full Compliance Inspections	52	80	736	635
UST Final Installation Inspections	10	2	91	53
Permitted Disposal Facilities (PDF) Inspections	7	11	94	114
PDF Re-inspections	0	0	0	12
UST Permanent Closures	0	0	12	12
Waste Asbestos Transport Permits	38	25	298	292
Rejected Loads	30	81	316	709
PDF Business License Applications	1	3	14	12

*indicates numbers are tracked by quarter

- A. **Solid Waste Management Authority (SWMA) Hearing Officer Process:** The monthly SWMA Hearing Officer Meeting was conducted October 20 with 29 cases adjudicated, \$29,100 in penalties imposed and corrective actions ordered. There were 30 Notices of Violation mailed in October for the Hearing Officer Meeting.

- B. **Complaints of Illegal Dumping:** The Solid Waste and Compliance Section received 101 complaints of illegal dumping in the month.
- C. **Waste Management Audits and Target Sector Inspections:** The section completed 3,059 Waste Management Audits for the year. Target Sector inspections are tracked quarterly. The Target Sector Inspection program is an interlocal agreement with the Nevada Division of Environmental Protection (NDEP) and is set at 300 inspections per contract year by the agreement.
- D. **CMART Events:** On October 7, staff attended the monthly CMART meeting. On October 12, staff participated in a CMART action involving Parkway Villas located at 1125 Century Garden Drive. Staff did not observe any significant solid waste issues. The major issues at the complex were vacant units that needed to be secured and these were addressed by the Clark County Public Response Office.
- E. **Stormwater Quality Meeting:** Staff participated in the monthly meeting of the Stormwater Quality Management Committee (SWQC) at the Clark County Regional Flood Control District. The purpose of this meeting is to receive a monthly update on a number of issues related to the Stormwater Management Plan (SWMP). Some of the highlights from the last meeting were: 1) the need to evaluate the findings of the EPA information collection requests after they are published by the EPA; 2) the need to schedule the fall wash walk; 3) construction site training scheduled for February 2011 in SWQC meeting room rather than at the Development Services building; 4) the annual report that was submitted on time; 5) Las Vegas Wash Coordinator Committee meeting scheduled for October 26; 6) development guidelines working group discussion scheduled for November 10; 7) Regional Flood Plan Managers Association (EPA, California, Nevada and Hawaii) meeting scheduled for November 3; and 8) combining efforts with the Algae Task Force to determine measures that might reduce phosphorus input from the stormwater system.
- F. **Grease Theft Meeting:** Staff participated in a meeting with representatives of liquid waste haulers and Metro to discuss the increasing problem of individuals stealing used cooking oil and food grease from locations across the county and to discuss measures that various agencies can take to address the problem. Additionally, there was discussion on developing a joint strategy on prosecuting any individuals that are caught stealing these items.
- G. **Solid Waste Plan Review Program (SWPR)**

Facility Type	Permitted Facilities	Modifications or Variances Permitted	BOH Approvals with unmet conditions	Applications being reviewed
Compost Plant	2	2	0	1
Construction and Demolition Waste Short -Term Storage Facility	1	0	1	0
Landfill	9	1	1	8
Materials Recovery Facility	9	3	0	3
Public Waste Storage Bin Facility	4	3	1	0
Recycling Center	34	18	3	8

Transfer Station	6	0	0	4
Waste Tire Management Facility	2	0	0	2
Total	67	27	6	26

1. Composting Plants

- **A-1 Organics:** Staff is reviewing application for a Temporary Permit with a variance (site relocation). Solid waste is pursuing rescinding permit and closure to existing site. A Workshop for the variance was held on October 27 in the SNHD Clemens Room. Applicant will go before the Board on November 18.

2. Construction and Demolition Waste Short-Term Storage Facilities.

- **Goldstrom Rentals Inc:** The application for a permit was approved at the May 28, 2009, Board of Health meeting. The permit will be issued after all conditions are met and a final inspection has been done.

3. Landfills

- **Apex Regional Landfill:** The applicant needs to resolve a list of deficient items before the application for a modification can be processed further.
- **City of Mesquite Old Landfill:** The applicant needs to resolve a list of deficient items regarding closure and post-closure before the application can be processed further.
- **Pabco Gypsum:** Staff is reviewing the application for a permit.
- **NV Energy's Reid Gardner Generating Station (Major Modification and lateral expansion):** Staff is reviewing application for a permit modification. A workshop was held on May 26 in the SNHD Clemens Room, and on June 1 in Moapa. A public hearing to gather public comments was held on October 4 in Moapa. Application for a permit, with conditions, was approved at the October 28 Board of Health Meeting. Applicant will return to the Board of Health in March 2011 to present on the permit conditions.
- Staff is reviewing the following applications for a modification:
 - Boulder City (Major Modification)
 - Laughlin Landfill
 - Southern California Edison
 - TIMET
 - Wells Cargo

4. Materials Recovery Facilities (MRFs)

- Staff is reviewing the application for a major modification.
 - Nevada Construction Clean Up
 - Republic Recycling Services of Nevada dba Evergreen
- **Republic Services Recycle Center:** The applicant needs to resolve a list of deficient items before the application for modifications to the permit can be processed further.

5. Public Waste Storage Bin Facilities

- **Moapa Valley Convenience Center:** A permit will be issued after all conditions are met and a final inspection has been done.

6. Recycling Centers

- Staff is reviewing the following applications for a modification. The applicants need to resolve a list of deficient items before the following applications can be processed further:
 - **Boulder City Recycling Center (Major Modification)**
 - **Secured Fibres**
- Staff is reviewing the following applications for a modification:
 - **BB Recycling-Permit** was issued October 22
 - **Desert Recycling (Major Modification)**
 - **K&M Diversified**
 - **Nevada Construction Clean Up**
 - **Recycling Technologies dba Re-New Recycling**
- Staff is reviewing the application for a new permit.
 - **Baker Commodities, Inc.**
 - **Republic Recycling Services of Nevada, Gowan Buy Back Center**
- **Ecology Auto Parts:** Staff is reviewing the application for a permit. A workshop was held on October 5 in the SNHD Clemens Room. Application for a permit was approved at the October 28 Board of Health Meeting. The permit will be issued after all conditions are met and a final inspection has been done.
- **Nuevo Recycling:** Staff is reviewing the application for a permit. A workshop was held on September 28 in the SNHD Clemens Room. Application for a permit was approved at the October 28 Board of Health Meeting. The permit will be issued after all conditions are met and a final inspection has been done.
- **SA Recycling, Nellis #2 (Temporary):** Staff is reviewing the application for a temporary permit.
- **SA Recycling-Western (Permanent):** Staff is reviewing the application for a permit. A workshop was held on September 22 in the SNHD Clemens Room. Application for a permit was approved at the October 28 Board of Health Meeting. The permit will be issued after all conditions are met and a final inspection has been done.

7. Transfer Stations

- **Republic Services Medical Waste Facility:** Staff is reviewing the application for a permit. A workshop was held on September 22 in the SNHD Clemens Room. Application for a permit was not approved at the October 28 Board of Health Meeting since there are no regulations governing medical waste transfer stations. The facility will continue to operate under Cheyenne Transfer Station's permit.
- The following applicants need to resolve a list of deficient items before their applications can be processed further for a modification to the permit:
 - **Cheyenne Transfer Station**
 - **Henderson Transfer Station**
 - **Sloan Transfer Station**

8. Waste Tire Management Facility

- **Lunas Construction Clean Up:** Staff is reviewing the application for a modification.
- **Phoenix Recycling Technologies:** Staff is reviewing the application for a new permit.

H. Subdivision Program:

ACTION	Oct 2009	Oct 2010	YTD 2009	YTD 2010
Tentative Maps Received	1	6	34	59
Lot Count	1	605	1,006	5,128
Final Maps Received	4	13	95	102
Lot Count	4	242	4,925	2,135
Final Maps Signed	15	5	85	57
Lot Count	2,460	76	5,209	1,060
Improvement Plans Received	3	13	59	71
Lot Count	3	385	4,692	1,807
Expedited Improvement Plans	0	3	2	6
Lot Count	0	324	3	402
Fees Paid	\$1,331.36	\$21,899.76	\$81,114.16	\$72,000.88

The Cosmopolitan East Tower and West Tower projects were approved.

III. Engineering and Plan Review

Individual Sewage Disposal System (ISDS) Program: The revenue for the month of October, 2009 was \$15,106 compared to \$13,602 for October, 2010. The total number of ISDS permits issued decreased over the same period. There was an increase in the number of tenant improvements (additions / remodels) processed.

ACTION	October 2009	October 2010	YTD 2009	YTD 2010
ISDS Permits Issued	7	8	89	71
Pool Locations Approved	2	1	40	36
Loan Certifications Processed	5	6	51	68
Tenant Improvements Processed	8	11	99	117
Fees Collected	\$15,106	\$13,602	\$135,361	\$120,687

ISDS Program Compliance: Four compliance vouchers (warnings) were resolved. No new compliance vouchers (warnings) were issued.

2010 ISDS Program Activity: The year to date totals for Loan Certifications and Tenant Improvements continues to show an increase when compared with 2009 figures. The current total number of Loan Certifications is the greatest for the past 5 years.

Used Mattress Program – Public hearing for amendment placed on hold until further notice:

The proposed amendment to the SNHD *Regulations Governing the Sanitation and Safety of Used Mattresses, Bedding and Upholstered Furniture* has been placed on hold until further notice. The newly created draft of the proposed amendment was e-mailed on October 11, 2010 to furniture industry representatives for comment with a written response deadline on or before November 10, 2010.

FOOD Plan Review: Total projects under Food Plan Review:

START OF THE MONTH: 1,024

END-OF-MONTH: 945

FOOD	OCTOBER 2009	OCTOBER 2010	YTD 2009	YTD 2010
New Initial Construction Rev. Activities	91	168	1,238	1,483
New Remodel Activities on Existing	25	29	398	507
Office Prelim. / Revised Plans / Other†	121	47	901	465
Field Inspections, Field Compliance Checks , COO & Preliminary Evaluations**	231	218	2,174	1,853
Released from Plan Review New & Remodel (completed projects)	213	222	1,852	1,660
New Permits Issued/ Amended	206	224	1,771	1,812
New Owner Permits	113	69	842	528

† “Other” includes meetings, status checks; previously included e-mail, phone calls;

*Previously “Office Prelim. / Field Evaluations”

** Previously “Field Inspections & Compliance Checks”

- Staff completed the plan review process and issued a new permit for Fire House Subs located at 7290 W. Lake Mead Blvd. The facility features submarine sandwiches utilizing individual steamers to heat the various freshly sliced meat products. The original concept for the facility was generated by two brothers whose families have over 200 years of service with the Jacksonville Fire and Rescue Company.
- Staff inspected and approved a new facility located at the Aria Hotel and Casino on 3720 S. Las Vegas Blvd. The Spin Buffet located inside the high limit lounge is a small self-service area which only provides a limited item buffet for high limit lounge customers.
- Plan review staff conducted rough plumbing inspections of the new Henderson Detention Center; the new facility is being constructed at the site of the present detention facility. During the rough plumbing inspection, discussions were held with the contractor concerning the need to provide tempered water for inmate use at hand sinks and showers at a temperature range of 100 – 120 degrees F. The facility is scheduled for completion prior to the end of 2010.
- Inspections have been conducted throughout October giving contingent approval to Cosmopolitan Resort & Casino pending issuance of TCO (temporary occupancy) from the Building Department. During October, over a total of 4 days, 78 final inspections were conducted. On Oct 21, Cosmopolitan met with staff and supervisors to discuss Waivers, HACCP Plans, and SOPs for the facility. They also submitted plans for 36 additional permits including 12

Annual Itinerant permits. Inspections will be on going through November and December with a projected opening date of December 15.

- Staff completed two inspections of facilities that experienced fire damage in their kitchens during October. The first was the Osaka Restaurant located at 4205 W. Sahara, which required extensive remodeling due primarily to smoke and fire suppression damage. The second facility was the Orchids Garden at 5485 W. Sahara. Both establishments were inspected by staff and reopened.
- Staff issued a Food Court permit for the Red Rock Casino after a satisfactory inspection of the facility. The Red Rock Food Court will continue to provide vendors within the food court restrooms, facility maintenance, grease interceptor and tables with cleaning from Red Rock housekeeping.
- On October 5, an inspection for issuance of a new permit, Cheffini's Hot Dog Cart, was conducted at 520 E. Fremont Street, Las Vegas NV. Upon inspecting the commissary, the Beat Coffee House located at 520 E Fremont Street, Las Vegas NV, the staff member observed several pieces of equipment which had not been permitted at the time of the original final health inspection. The owner of the Beat Coffee House appeared to have added a glass washer, a two tower draft refrigerated unit, and electric hot plate. The menu was changed from the original permitted date to include cooked raw bacon, for which there was no hood with grease capture or fire suppression. The staff member advised the owner of additional requirements for each piece of equipment. The glass washer would require another drain board. The overflow from draft tower would have to discharge indirectly to a floor sink. Cooking raw bacon would require the properly-appointed ventilation hood. In addition, the staff member advised the owner to schedule a plan review meeting at which time the owner will have to provide updated floor plans, equipment specification sheets and pay applicable fees for a remodel installing after the fact. The staff member "red tagged" (marked the equipment out of use) the equipment and informed the owner to schedule the plan review meeting as soon as possible.
- The first Annual Event Coordinator permit was approved for Aramark at the LVCC on October 11. This new permit frees the coordinators for large venues from the need to obtain a permit for each event.
- Plan Review staff members are fielding numerous phone calls from owners and operators requesting clarification on locations for refrigerator thermometers, waivers, HAACP plans, variances, new categories of permits and other applications of the new regulations. Many are concerned about potential violations and possible down-grades; however, staff is impressed by the cooperative spirit encountered on most inspections.
- A possible prototype for the buffet beverage stations at the MGM properties is being launched at The Luxor. It features a 2-sided counter with a service area in the center which provides easy access to the bag-in-the-box racks, RPZ valve, mop sink and floor sinks. It also conceals a hand sink and rolling racks of clean glasses.
- On October 5, Alexander Pizza at 5020 E. Broadbent was scheduled for a Change-of-Owner inspection. The Plan Review staff met Operations staff at the location at 1:20PM. Both inspectors upon entering the establishment noticed the floors, walls, equipment, and other surfaces were not clean. Further investigation showed practices in place for serving food to the

public were not safe. Major violations were noted. A swamp cooler was set up on a table next to the ware wash and operating. Mice dropping were found on the floor. Garlic oil mixed with butter was kept at cook line at room temperature for over 6 hours. Cobwebs with a black widow spider were present. The establishment did not have a contract with a licensed exterminator. The ware wash area was not set up correctly. Active washing was going on with no detergent in the wash sink. The establishment was using a bucket filled with detergent and chlorine to wash dishes. No lids were used to cover raw food. No labels for pre-cooked ready to eat foods were present. The owner explained he worked all night cleaning the establishment. The cook on duty did not have health card and was asked to leave. The Plan Review inspector notified supervision that he needed to suspend the Health Permit and close the establishment. Total demerits amounted to 41.

Plan Review Public Bathing Places: Total projects under Pool Plan Review: 1984

ACTIVITIES	Oct 2009	Oct 2010	YTD 2009	YTD 2010
New Initial Plan Rev. Activities/Other Actions	3	10	179	292
New Remodel Activities on Existing	72	13	884	681
Office/Field Prelim./Change-of-Owner Evaluations	34	9	88	81
Status and Compliance Checks/File Reviews	92	531	697	1824
Field Inspections during Construction	20	18	427	286
Released from Plan Review (complete) New and Remodel	10	21	198	180
New Owner Permits (Changes of Ownership)	15	3	111	75
New Permits Issued/Amended	11	17	198	193

1. Changes of Ownership

Completed Initial Surveys

- Solana Condominiums, 8400 W Charleston Blvd: 2 bodies of water

Completed Change of Ownerships - Released to Operations

- Hyatt Place Las Vegas, 4520 S Paradise Rd: 1 body of water

2. New Construction

Expedited Plan Reviews

- Nellis AFB Community Center, 4601 Richard Kisling Dr: 1 body of water

Completed Excavation Inspections

- Life Time Athletic, 10721 W Charleston: 1 body of water

Completed Plan Reviews

- Nellis AFB Community Center, 4601 Richard Kisling Dr: 3 bodies of water

Completed Plumbing Inspections

- Cosmopolitan Resort, 3700 Las Vegas Blvd S: 2 bodies of water

- Life Time Athletic, 10721 W Charleston: 1 body of water
- Hollywood Regional Park, 1550 Hollywood Blvd: 1 body of water

Completed Pre-Plaster Inspections

- Cosmopolitan, 3708 Las Vegas Blvd S: 5 bodies of water
- Reserve at Arrow Canyon Condos, 5005 Losee Rd: 2 bodies of water

Completed New Construction - Released to Operations

- McKnight Senior Village Apartments, 651 McKnight St: 1 body of water
- Veritas Apartments, 3370 St Rose Pkwy: 1 body of water
- Westcliff Pines Senior Apartments, 8206 Silversky Dr: 2 bodies of water

3. Major Remodels

Completed Plan Reviews

- Palo Verde - Pavilion, 101 Pavilion Center: 1 body of water

4. Minor Remodels

Expedited Plan Reviews:

- Rock Springs Condos, 701 Rock Springs Dr: 2 bodies of water

Completed Initial Surveys

- Turtle Creek Apartments, 6655 S Boulder Hwy: 2 bodies of water
- Camden Summit, 2675 Windmill Ln: 2 bodies of water
- Condominiums at the District, 2240 Village Walk: 2 bodies of water
- Rail Road Pass Casino, 2800 S Boulder Hwy: 1 body of water
- Portofino Senior Apartments, 1001 Las Palmas Entrada: 2 bodies of water
- Sunrise Villas VIII, 2800 Emerson Ave: 6 bodies of water
- Henderson Multigenerational Center, 250 S Green Valley Parkway: 4 bodies of water
- Pine Tree Village, 2121 E University Ave: 1 body of water
- Hawthorne Inn and Suites, 910 Boulder Hwy: 2 bodies of water
- Palm Villas, 650 Whitney Ranch: 4 bodies of water
- Promontory Point, 360 N Arroyo: 3 bodies of water
- Arabella Apartments, 4375 E Sunset Rd: 2 bodies of water
- Las Vegas Hilton Hotel, 3000 S Paradise Rd: 1 body of water
- Crystal Creek Apartments, 3001 W Warm Springs Rd: 2 bodies of water
- Firenze Apartments, 5880 Boulder Falls: 1 body of water
- Legends Green Valley, 75 N Valle Verde: 2 bodies of water
- Shadow Pointe Recreational Association, 1790 Franklin Chase Ter: 3 bodies of water
- Canyon Willow East, 5205 Caspian Spring Dr: 3 bodies of water
- Hesperian Falls Apartments, 3955 S Algonquin Dr: 2 bodies of water
- Riverbend Village Apartments 3937 S Spencer: 2 bodies of water
- Century Village Apartments, 4801 Spencer: 2 bodies of water
- Bruce Village Apartments, 4235 Bruce: 1 body of water
- Snug Harbor, 2780 E Flamingo: 2 bodies of water
- Casa Del Sol Mobile Home Park, 4800 E Vegas Valley: 2 bodies of water
- Calusa Residential Estates 6055 Peaceful Creek: 2 bodies of water
- Ashton Park Apartments Pool, 4441 Escondido St: 1 body of water
- Toscana Villas Apartments, 4775 S Topaz St: 2 bodies of water

- Oasis Bay Apartments, 1601 E Katie Ave: 2 bodies of water
- Living Desert Apartments, 1363 Living Desert Dr: 1 body of water
- The Worldmark Club, 4225 Spencer St: 2 bodies of water
- University Crest, 1390 Dorothy Ave: 1 body of water
- Fiesta Henderson Hotel and Casino, 777 W Lake Mead Dr: 1 body of water
- Hilton Grand Vacation Club at Las Vegas Hilton, 455 Karen Ave: 3 bodies of water
- Mirage Hotel and Casino, 3400 Las Vegas Blvd S: 9 bodies of water
- Luxor Hotel and Casino, 3900 Las Vegas Blvd S: 10 bodies of water
- Laughlin Bay Village Apartments, 3801 Desert Marina Dr: 9 bodies of water
- Amber Ridge Condos, 10600 Amber Ridge Dr: 3 bodies of water
- Angel Court Condos, 900 Heavenly Hills Ct: 1 body of water
- Angel Point Condos, 8450 W Alta Dr: 3 bodies of water
- Aventura, 200 Aventura Dr: 1 body of water
- Camden Canyon Apartments, 8450 W Charleston Blvd: 2 bodies of water
- Cierra, 9731 Covington Cross: 1 body of water
- Cimarron Ridge Owners Association, 8028 Astrology Ct: 1 body of water
- Cottonwood Terrace Townhouses, 10181 Juniper Creek Ln: 2 bodies of water
- Dakota Condos, 9830 Canyon Run Dr: 1 body of water
- Desert Bloom Condos, 10611 Allthorn Dr: 1 body of water
- Elan Condos, 7919 W Alta Dr: 5 bodies of water
- Ironwood, 8350 Westcliff Dr: 1 body of water
- Jonathan Glen 1, 625 Jonathan Glen Way: 1 body of water
- La Quinta Condos, 8301 Boseck Dr: 1 body of water
- Park 1 at Summerlingate, 8600 W Charleston Blvd: 3 bodies of water
- Red Bluffs at the Crossings, 10107 Covington Cross Dr: 1 body of water
- Rock Springs Vista #9, 3200 Jett St: 2 bodies of water
- Rock Springs Vista VIII, 1324 Driscoll Dr: 2 bodies of water
- Rock Springs Vista I and II, 1101 N Buffalo: 3 bodies of water
- Rocksprings Vista III, 1013 Falconhead: 2 bodies of water
- Rocksprings Vista III, 1108 Falconhead: 2 bodies of water
- Rocksprings Vista III, 1025 Pinto Rock: 2 bodies of water
- Rocksprings Vista III, 1045 Pinto Rock: 1 body of water
- Rocksprings Vista III, 929 Falconhead: 2 bodies of water
- Rocksprings Vista III, 912 Falconhead: 2 bodies of water
- Rocksprings Vista III, 909 Boulder Springs: 2 bodies of water
- Rodeo Drive Estates, 8200 W Westcliff Dr: 1 body of water
- Silver Pines Condos, 10503 Arbordale Pl: 1 body of water
- Starfire II, 8152 Silver Sky Cir: 1 body of water
- Sunset Mesa, 430 Blush Creek Pl: 1 body of water
- Ashford Manor Apartments, 2820 Tucumcari Dr: 1 body of water
- Diamondhead Apartments, 1799 N Decatur Blvd: 2 bodies of water
- Smoke Ranch Recreational Center, 2750 Chandler Mews Rd: 1 body of water
- Alpine Village, 901 S Brush St: 1 body of water
- Country Club at the Meadows, 300 S Promenade Blvd: 2 bodies of water
- Capri Mobile Home Community, 3150 S Arville St: 1 body of water
- City Place Apartments, 3150 S Decatur St: 2 bodies of water
- Shadow Ridge Apartments, 3200 S Arville St: 2 bodies of water

- Woodlake Villas Apartments, 4747 Pennwood Ave: 3 bodies of water
- Residence at Canyon Gate, 2200 S Fort Apache Rd: 6 bodies of water
- Wellington Meadows Apartments, 9550 W Sahara Ave: 1 body of water
- Cornerstone Crossings, 6666 W Washington Ave: 1 body of water
- La Villa Estates Apartments, 10175 W Spring Mountain Rd: 1 body of water
- Resort at the Lakes, 9999 W Katie Ave: 2 bodies of water
- Broadstone Desert Lakes, 9155 W Desert Inn Rd: 1 body of water
- Dolce by the Lakes, 2750 S Durango Dr: 5 bodies of water
- Enclaves Apartments, 8455 W Sahara Ave: 2 bodies of water
- Indian Ridge Apartments, 9353 W Twain Ave: 1 body of water
- Ivy Apartments, 8401 W Charleston Blvd: 2 bodies of water
- Lakeview Condos, 3450 Erva Dr: 7 bodies of water
- Oasis Sierra Apartments, 7001 W Charleston Blvd: 2 bodies of water
- Raintree Condos, 7570 W Flamingo Rd: 2 bodies of water
- Silver Shadow Apartments, 8301 W Charleston Blvd: 3 bodies of water
- Village of Santa Domingo, 8530 W Sahara Ave: 2 bodies of water
- Casa Del Sol Apartments, 5100 W O'Bannon Dr: 3 bodies of water
- Summer Bay Resorts, 3950 Koval Ln: 7 bodies of water
- Residence Inn, 3225 S Paradise Rd: 2 bodies of water
- Turnberry Tower III, 2747 S Paradise Rd: 1 body of water
- Vagabond Inn, 2601 Westwood Dr: 1 body of water
- M C R Apartments, 226 W St Louis Ave: 1 body of water
- Velvedere Apartments, 316 W Cleveland Ave: 1 body of water
- Bella Estates, 5101 E Twain Ave: 1 body of water
- Pecos Terrace Apartments, 3555 E Lake Mead Blvd: 2 bodies of water
- Stonegate Apartments, 5075 Spyglass Hill Dr: 2 bodies of water
- Cypress Gardens Mobile Home Park, 4650 E Lake Mead Blvd: 1 body of water
- Oasis Meadows Apartments, 3150 S Nellis Blvd: 1 body of water
- Santiago MHE, 4650 E Carey Ave, 1 body of water
- Oasis Meadows Apartments, 3150 S Nellis Blvd: 2 bodies of water
- Thousand Trails RV Park, 4295 Boulder Hwy: 2 bodies
- Pueblo Del Sol Mobile Home Park, 3751 S Nellis Blvd: 3 bodies of water
- Las Vegas RV Resort, 3890 S Nellis Blvd: 2 bodies of water
- Desert Inn Family Estates, 5100 Blue Ridge Pkwy: 2 bodies of water
- Suites, 4855 Boulder Hwy: 3 bodies of water
- Siegel Suites Boulder, 4823 S Boulder Hwy: 1 body of water
- Suites, 4625 Boulder Hwy: 1 body of water
- Extended Stay America: 4240 E Boulder Hwy: 1 body of water
- St Louis Suites, 525 E St Louis Avenue: 1 body of water
- Sunrise Ridge, 5330 E Charleston: 1 body of water
- Sunrise Springs, 4455 E Twain Ave: 3 bodies of water
- Pacific Harbors Stonegate, 2991 Juniper Hills Blvd: 4 bodies of water
- St Louis Suites, 525 E St Louis Ave: 1 body of water
- Stallion Mountain Recreation Center, 5550 Harbour Point Place: 2 bodies of water
- Sun Country, 4800 S Calle Del Mar: 2 bodies of water
- Camden Pointe Apartments, 4800 E Tropicana Ave: 2 bodies of water
- Tropicana Springs Apartments, 4316 E Tropicana Ave: 2 bodies of water

- Pacific Harbors Stonegate, 2991 Juniper Hills Blvd: 4 bodies of water
- Sunrise Springs Apartments, 4455 E Twain Ave: 3 bodies of water
- Sunrise Ridge, 5330 E Charleston: 1 body of water
- Piedmont Springs Apartments, 1700 N Lamb Blvd: 2 bodies of water
- Palm Hills Apartments, 4770 E Owens Ave: 1 body of water
- Rancho San Juan, 3821 E Lake Mead Blvd: 1 body of water
- Springpointe Condos, 3780 E Shirebrook Dr: 1 body of water
- Walnut Water Park, 3085 N Walnut Rd: 1 body of water
- Nellis Suites, 4555 N Las Vegas Blvd: 2 bodies of water
- Pacific Legends East Condos, 1405 S Nellis Blvd: 2 bodies of water
- Tropical Villas, 6201 E Lake Mead Blvd: 2 bodies of water
- Mountainside Condos, 6800 E Lake Mead Blvd: 2 bodies of water
- Antigua Bay Apartments, 5225 E Charleston: 2 bodies of water
- Desert Sands Villas, 4501 E Washington Ave: 2 bodies of water
- Pleasant Hills Condos, 900 N Sloan Ln: 2 bodies of water
- Sunridge Ranchos, 6720 E Mountridge Dr: 2 bodies of water
- Oasis Springs Apartments, 451 N Nellis Blvd: 2 bodies of water
- Oasis Emerald Apartments, 361 N Nellis Blvd: 2 body of water
- Eagle Trace Apartments, 5370 E Craig Rd: 5 bodies of water
- Regency Village, 230 N Sir George Dr: 4 bodies of water
- Moonlight Terrace Condos, 2050 N Los Feliz St: 1 body of water
- Sunrise Bay Condos, 2110 Los Feliz St: 4 bodies of water
- Casa Linda Mobile Home Park, 5250 E Lake Mead Blvd: 1 body of water
- Brookstone Apartments, 1401 N Lamb Blvd: 1 body of water
- Nellis Motor Inn, 5330 E Craig Rd: 1 body of water
- Siegel Suites Craig, 5230 E Craig Rd: 1 body of water
- Econo Lodge, 1150 Las Vegas Blvd S: 1 body of water
- Li Apartments, 1909 S Santa Paula Dr: 1 body of water
- Paradise Suites, 2000 S Paradise Rd: 1 body of water
- Bonita Terrace, 2140 S Paradise Rd: 2 bodies of water
- Greystone Park Apartments, 2635 S Karen Ct: 1 body of water
- Lynwood Apartments, 2626 S Lynnwood St: 1 body of water
- New Las Vegas Country Club, 3000 S Joe W Brown Dr: 1 body of water
- Country Club Towers, 850 E Desert Inn Rd: 1 body of water
- Mark I Apartments, 1020 E Desert Inn Rd: 2 bodies of water
- Waikiki Palms Apartments, 2565 Lynnwood Rd: 1 body of water
- Lynnwood Place Apartments, 2606 Lynnwood Ave: 1 body of water
- Monterey at the Las Vegas Country Club, 723 Oakmont Dr: 5 bodies of water
- Vesper Siesta Apartments, 2556 S Van Patten St: 1 body of water
- Casa Tiempo Apartments, 2850 S Maryland Pkwy: 1 body of water
- Sterling Sahara Apartments, 1655 E Sahara Ave: 3 bodies of water
- Canyon Club Apartments, 2665 S Bruce Street: 2 bodies of water
- Desert Valley Therapy, 2055 E Sahara Ave: 1 body of water
- Franciso Villas Condo Pool, 3120 S Eastern Ave: 1 body of water
- Sterling Park, 2800 S Eastern Ave: 2 bodies of water
- Sun Chase Apartments, 3200 S McLeod Dr: 2 bodies of water
- Las Vegas Hilton Health Club Men, 3000 S Paradise Rd: 1 body of water

- Starfire Luxury Condos, 8725 W Flamingo Rd: 2 bodies of water
- Destinations at Pebble, 1450 E Pebble Rd: 1 body of water
- Pleasant Valley Cascade Mobile Home Park, 3800 S Decatur blvd: 1 body of water
- Bella Vita Homeowner Association, 5070 River Glen Dr: 8 bodies of water
- Briarwood Patio Homes, 5149 Briar Meadow Way: 1 body of water
- Villas at Flamingo, 5525 W Flamingo Rd: 2 bodies of water
- Conejo Villas Apartment, 5060 W Hacienda Ave: 1 body of water
- Spring Valley Highlands Phase 5, 5354 S Lindell: 1 body of water
- Spring Valley Highlands Apartments #2, 5353 S Jones Blvd: 1 body of water
- Camden Pines Apartments, 5155 S Torrey Pines Dr: 2 bodies of water
- Las Vegas JC's Senior Citizens MHC, 5805 W Harmon Ave: 1 body of water
- Silver Stream Apartment, 5701 W Rochelle Ave: 4 bodies of water
- Spring Valley Highlands, 6111 W Churchfield Blvd: 3 bodies of water
- El Pueblo De Las Brisas, 3355 S Arville St: 1 body of water
- Twain Estates, 3651 S Arville St: 1 body of water
- El Dorado Mobile Home Parks, 4525 W Twain Ave: 2 bodies of water
- Heritage Park Apartments, 3555 Stober Blvd: 2 bodies of water
- Decatur Pines, 3920 S Decatur Blvd: 1 body of water
- Sunwood Village Apartments, 4020 S Arville St: 2 bodies of water
- Grand View Terrace Apartment, 4255 W Viking Rd: 2 bodies of water
- Rancho Vista, 3663 S Valley View Blvd: 1 body of water
- Whispering Waters, 4155 W Twain Ave: 2 bodies of water
- Wynn Palms #1, 3800 S Wynn Rd: 1 body of water
- Shadowbrook Apartments, 3851 S Wynn Rd: 3 bodies of water
- Vista Del Valle, 4051 W Viking Rd: 2 bodies of water
- Coronado Bay Club Apartments, 7600 S Jones Blvd: 2 bodies of water
- Flamingo Chateau, 6570 W Flamingo Rd: 2 bodies of water
- Casa Mesa Villas, 6643 W Tropicana Ave: 4 bodies of water
- Laguna Del Rey, 5000 S Red Rock St: 1 body of water
- Monterey Park Apartments, 5301 Pioneer Ave: 3 bodies of water
- Hidden Cove Apartments, 3335 Hauck: 4 bodies of water
- Resort at Coronado Ranch Apartments, 7777 S Jones Blvd: 1 body of water
- Spanish Trail Fitness Center, 8300 Spanish Gate Dr: 3 bodies of water
- Gardens at Spanish Trail, 7958 Harbor Towne Ave: 2 bodies of water
- Gardens West at Spanish Trail, 8100 Round Hills Cir: 2 bodies of water
- Islands at Spanish Trail, Inside Islands: 1 body of water
- Springs at Spanish Trail, 7070 Clear Springs Dr: 2 bodies of water
- Courtyards at Spanish Trail, Inside Courtyards: 2 bodies of water
- Opulence Condos, 5415 W Harmon Ave: 4 bodies of water
- Extended Stay America, 4270 S Valley View Blvd: 1 body of water
- Los Verdes Community, 4801 S Torrey Pines Dr: 2 bodies of water
- Rancho Del Sol, 4201 W Rochelle Ave: 3 bodies of water
- Silverado Village, 3750 S Arville St: 3 bodies of water
- Durango Canyon South Apartments, 4515 S Durango Dr: 6 bodies of water
- Camden Cove Apartments, 4700 W Rochelle Ave: 2 bodies of water
- Spanish Wells Apartments, 5355 S Rainbow Blvd: 3 bodies of water
- Happi Inn, 3939 Las Vegas Blvd S: 1 body of water

- Sierre Madre, 5051 S Spencer St: 2 bodies of water
- Oasis Pearl Apartments II, 5155 S Escondido St: 1 body of water
- Country Hills Apartments, 5400 S Maryland Pkwy: 2 bodies of water
- Oasis Pearl Apartments III, 1425 E Hacienda Ave: 1 body of water
- Boca Raton Luxury Condos, 2475 W Serene Ave: 1 body of water
- Paradise Spa, 9457 Las Vegas Blvd S: 1 body of water
- Marriott's Grand Chateau, 75 E Harmon Ave: 2 bodies of water
- Carriage House Timeshare Association, 105 E Harmon Ave: 1 body of water
- International Villas, 4630 S Koval Ln: 3 bodies of water
- Alexis Park Resort, 375 E Harmon Ave: 3 bodies of water
- Holiday Royale Motel, 4505 S Paradise Rd: 1 body of water
- Vegas Towers, 1055 E Flamingo Rd: 2 bodies of water
- Ramada Inn, 325 E Flamingo Rd: 2 bodies of water
- Sunset Cliffs, 8985 S Durango: 1 body of water
- The Cottages, 6050 Quiet Glow Ave: 2 bodies of water
- Eldorado Villas, 1260 Rawhide St: 2 bodies of water
- Glenoak Square Condos, 1751 E Reno Ave: 2 bodies of water
- Stratosphere Hotel and Casino, 2000 Las Vegas Blvd S: 3 Bodies of water
- Henderson Multigenerational Center, 250 S Green Valley Pkwy: 4 bodies of water

Completed Plan Reviews

- Bellagio Hotel and Casino, 3600 Las Vegas Blvd S: 2 bodies of water
- American Village, 4000 Village Sq: 1 body of water
- International Church of LV, 6600 W Katie Ave: 1 body of water
- Stratosphere Hotel and Casino, 2000 Las Vegas Blvd S: 3 Bodies of water
- Henderson Multigenerational Center, 250 S Green Valley Pkwy: 1 body of water

Completed Minor Remodels – Released to Operations

- Crown Point, 3665 Needles Hwy: 5 bodies of water
- Bellagio Hotel and Casino, 3600 Las Vegas Blvd S: 2 bodies of water
- Hilton Grand Vacation Club at Flamingo, 3575 Las Vegas Blvd S: 1 body of water
- McKnight Senior Village Apartments, 651 McKnight St: 1 body of water

5. Enforcement Actions and Investigations

Body of Water - Closed for Violations

- Dakota Condos, 9830 Canyon Run Dr: 1 body of water

Late Payments Health Fees Notices

- Cedar Village Family Apartments, 2850 Cedar Village Ave East
- Palm Village Apartments, 1001 Pecos Rd North
- Parkridge Condos, 204 Orland St
- Coral Palms Condos, 3318 Decatur Blvd North
- La Brisas, 6660 Bubbling Brook Dr
- Crossing at Lake Mead, 5801 Lake Mead Blvd West
- Las Brisas Pool, 6660 Bubbling Brook Dr

6. Revisions Required

- Stratosphere Hotel and Casino, 2000 Las Vegas Blvd S: 1 body of water

- Henderson Multigenerational Center, 250 S Green Valley Pkwy: 3 bodies of water
- Sun City Anthem Recreation Center, 2211 Somersworth Dr: 1 body of water
- Life Time Athletic, 10721 W Charleston: 6 bodies of water
- Palo Verde - Pavilion, 101 Pavilion Center: 1 body of water

7. Remodel Permit Required

- Solana Condominiums, 8400 W Charleston Blvd: 1 body of water
- Henderson Multigenerational Center, 250 S Green Valley Pkwy: 4 bodies of water

8. After the Fact Remodel Required

- Stallion Mountain 2, 3736 Budenny Dr: 1 body of water
- Sky Court Harbors Apartments, 9025 W Desert Inn Rd: 1 body of water
- Chateau Calais Apartments, 975 Seven Hills Dr: 2 body of water
- Amalfi Apartments, 2750 W Wigwam Ave: 1 body of water
- Tuscany Apartments, 725 S Hualapai Way: 1 body of water
- Venicia Apartments, 3644 S Fort Apache: 1 body of water
- Viviani Apartments, 3625 W Russell Rd: 1 body of water
- Adiamo Apartments, 1350 W Horizon Ridge Pkwy: 1 body of water

9. Owner/Facility Requested Field Surveys

- Preserve Apartments, 2655 E Deer Springs Way: 4 bodies of water

10. Management/Operational Requested Field Surveys

- Bellagio Hotel and Casino, 3600 Las Vegas Blvd S, Discussion of egress into and exits from pool area with Bellagio Management.
- Dover Place, 5150 E Craig Rd: 3 bodies of water
- First Light at North Ranch, Chastain Park Dr: 1 body of water
- Nellis AFB Community Center, 4601 Richard Kisling Dr: 3 bodies of water
- Presidio Heights, 3677 W Starr Ave: 2 bodies of water
- Twilight at Monterey Ranch, 10808 S Buffalo Dr: 1 body of water
- Denali at Mountain's Edge, 6950 Point Hope Ave: 2 bodies of water

11. Truck Inspections Conducted

- Budget Pools Service & Repair (C-0362)
- Jim and Sons Pool Service, Inc. (C-0319)
- Sparkling Pool Service. (C-0233)
- Antonio's Pool and Spa Service (C-0327)

12. Supervisory Conferences

- Craig Ranch Swimming Lagoon, 628 W Craig Road: A variance application meeting was held to discuss variance parameters for bathhouse requirements.
- Covenant Management: A meeting was held with Covenant Management to discuss a refund for major remodel permits that were changed to minor remodels.
- Adams Pool Solutions: A meeting was held with Adams Pool Solutions to discuss pending issues with current remodels.

13. Outreach/Partnerships

- Inspector conducted a paid preliminary on October 28 for the Howard Hughes Corporation and Grey Pickett Architecture for future splash pads and community center.

14. Program Development

- Began quality control checks on Pool Plan Review paperwork completed by inspectors.
- Developed Standard Operating Procedures on How to Change a Contractor in the Middle of a Project.

IV. TRAINING

- A. Administrative Assistant II Melanie Muñoz continued to schedule 2010 Regulations & Special Process classes for outside establishments with a minimum of 30+ attendees in each class.
- B. Training Officers Susan LaBay and Christine Sylvis finished the industry training for the 2010 Food Regulations. A total of just over 200 classes were taught, both here at the Ravenholt Center as well as at offsite locations. The regulation training was given to 8273 individuals in multiple languages. The total cost to EH for all of the training sessions came to just under \$375,000. The training officers also completed an additional training session for the EH Staff involved in food inspections. This training was held on October 27 in the auditorium and went over changes in enforcement as well as the enforcement on the NCIAA section of the regulations.
- C. Eighteen staff members attended the 8 hour Hazwoper Refresher Course on October 14, 2010.

ELV

- October 13, Special Processes Training, 625 Shadow Lane, SNHD, EH Training Officers.

NLV

- Staff attended various sessions of the new regulation training for industry.

SV

- Spring Valley staff is assisting with various training session introducing industry to the recently adopted regulations.

Strip

- Staff continued participation in the Canned Statement Teams developing violation and corrective action comments for incorporation into the Decade database. Comments are being developed for various food program inspection types to include: Temporary and Event Coordinator Permits, Public Accommodations and Jails.
- Staff also continued development of the Food Establishment Resource Library (FERL) under the leadership of the coordinator, EH Supervisor Rose Henderson.
- Staff received a variety of training in October to include: Special Processes and Violations Standardization training conducted by the training officers.

Vector

- Staff continued training in Operational programs including Mobile Home Parks, Public Accommodations, Special Processes, Food Inspection Standardization, and Decade's Envision Connect.

Special Programs

- October 18 to 21, two Staff attended an Intermediate Water Treatment Operator course held at the Las Vegas Valley Water District. The training was provided free of charge and detailed methods of ground and surface water treatment techniques to reduce contaminants regulated by the EPA.

Pool Plan Review

- Assisted staff members and pool industry with pending issues for several facilities

GS/ry